

National Park Service
U.S. Department of the Interior
Lake Clark National Park and Preserve



Wolf Ecology in Lake Clark National Park and Preserve

EXPERIENCE YOUR AMERICA

Why wolves?

- Declines of 25-33% in moose populations within Lake Clark National Park and Preserve (LACL) since 2003.
- Local users expressing that predation, primarily wolf, was causing this decline.
- Regulatory changes liberalizing wolf harvest via trapping and hunting in the region.
- Limited data on the status of wolf populations in LACL.

Study Objectives

- Determine the number of wolf packs and their size in Lake Clark National Park and Preserve (LACLP).
- Determine pack territory size and how pack territories are arranged on the landscape.
- Determine movement patterns and dispersal rates.
- Determine wolf pack productivity and wolf mortality.
- Determine wolf prey composition and predation rate.

Wolf Capture



EXPERIENCE YOUR AMERICA



ENCE YOUR AMERICA

Wolf Capture Data

| Date | Wolf ID | Sex | Age | Weight (KG) | Pack | Transimtter Type | Recapture |
|-----------|---------|-----|----------|-------------|----------------------|------------------|-----------|
| 12/4/2008 | LC0801 | M | PUP | 24.5 | TELAQUANA LAKE | SATELLITE | NO |
| 12/5/2008 | LC0802 | M | ADULT | 48.6 | TELAQUANA LAKE | GPS | NO |
| 2/6/2009 | LC0903 | M | ADULT | 50.0 | CHULITNA RIVER | GPS | NO |
| 2/6/2009 | LC0904 | F | YEARLING | 34.5 | CHULITNA RIVER | SATELLITE | NO |
| 2/7/2009 | LC0905 | F | ADULT | 40.9 | KIJIK RIVER | GPS | NO |
| 2/7/2009 | LC0906 | F | ADULT | 43.2 | CHEKOK CREEK | GPS | NO |
| 2/7/2009 | LC0907 | F | PUP | 36.4 | CHEKOK CREEK | SATELLITE | NO |
| 2/8/2009 | LC0908 | M | ADULT | 50.9 | KIJIK RIVER | GPS | NO |
| 2/7/2010 | LC1011 | M | PUP | 40.9 | CHEKOK CREEK | SATELLITE | NO |
| 2/7/2010 | LC0906 | F | ADULT | 51.4 | CHEKOK CREEK | GPS | YES |
| 2/7/2010 | LC0907 | F | YEARLING | 43.2 | CHEKOK CREEK | GPS | YES |
| 2/8/2010 | LC1013 | M | YEARLING | 46.4 | PTARMIGAN CREEK | GPS | NO |
| 2/8/2010 | LC0802 | M | ADULT | 53.6 | TELAQUANA LAKE | GPS | YES |
| 2/12/2010 | LC1014 | M | PUP | 38.2 | TELAQUANA LAKE | SATELLITE | NO |
| 2/28/2011 | LC1115 | M | ADULT | 54.5 | LOWER TWIN LAKE | GPS | NO |
| 2/28/2011 | LC1116 | F | YEARLING | 35.5 | LOWER TWIN LAKE | VHF | NO |
| 3/1/2011 | LC1117 | M | ADULT | 55.5 | TWIN LAKES-TELAQUANA | GPS | NO |
| 3/1/2011 | LC1118 | M | YEARLING | 49.1 | TWIN LAKES | GPS | NO |
| 3/1/2011 | LC1119 | M | PUP | 43.6 | TWIN LAKES-TELAQUANA | GPS | NO |
| 3/2/2011 | LC1120 | M | ADULT | 54.5 | CHEKOK CREEK | GPS | NO |
| 3/2/2011 | LC0906 | F | ADULT | 46.4 | CHEKOK CREEK | GPS | YES |

Project Capture Summary

- Twenty-one wolves have been caught during 4 captures between 2008-2011.
- The 21 wolves are part of 5 packs that are distributed along the western and southern boundaries of LACL.
- Age-class composition was 11 Adults, 5 Yearlings, and 5 Pups.
- Thirteen males and 8 females were captured.
- The heaviest wolf was 55.5kg and the lightest was 24.5 kg.
- Several wolves were captured in multiple years, with one caught in 2009, 2010, and 2011.

Wolf Pack Data



EXPERIENCE YOUR AMERICA

Wolf pack sizes in Lake Clark National Park and Preserve, December 2008-October 2011

| Pack | Number of Wolves 2008-2009 | Number of Wolves 2009-2010 | Number of Wolves 2010-2011 |
|-----------|-------------------------------|-------------------------------|-------------------------------|
| Chulitna | 7 | NA | NA |
| Telaquana | 5 | 6 | 4 |
| Chekok | 6 | 6 | 5 |
| Kijik | 6 | 6 ¹ | 3 ¹ |
| Ptarmigan | NA | 4 | NA |

Pack size is from early winter and represents maximum for that pack/year.

¹ No radio-collars were in this pack, estimates based on aerial and ground observations

Wolf Productivity and Mortality



EXPERIENCE YOUR AMERICA

Productivity and Mortality

- Seven den sites have been documented with 5 producing pups.
- Productive dens produced between 2 and 6 pups.
- Autumn tracking flights have determined that no more than 4 pups have survived and/or remained with their natal pack.
- Eight radio-collared wolves have died during the study: 2 in 2008-09, 3 in 2009-10, and 3 in 2010-11.
- Cause of mortality has been 3 harvested, 2 intraspecific strife, 2 unknown cause, and 1 drowning.

Wolf Territories



EXPERIENCE YOUR AMERICA

Annual wolf pack territory size (km²) in Lake Clark National Park and Preserve, Alaska


| Pack | 2009 | 2010 | 2011 ¹ |
|-----------|------------------------------|------|-------------------|
| Chulitna | 5277 | NA | NA |
| Telaquana | 2274 | 2060 | 2791 ² |
| Chekok | 2269 | 2183 | 1831 |
| Kijik | 3914 ³ (13134) | NA | NA |
| Ptarmigan | NA | 2264 | NA |

Territories based on Minimum Convex Polygon using pack locations, excluding dispersal movements.

¹ Using locations collected 1 January – 30 September 2001.

² New pack of wolves in previously occupied territory.

³ Territory excluding and including westward expansion.



Annual wolf pack territory size (km²) in Lake Clark National Park and Preserve, Alaska


| Pack | 2009 | 2010 | 2011 ¹ |
|-----------|------------------------------|------|-------------------|
| Chulitna | 3261 | NA | NA |
| Telaquana | 1228 | 991 | 1158 ² |
| Chekok | 1980 | 683 | 1092 |
| Kijik | 3119 ³ (11356) | NA | NA |
| Ptarmigan | NA | 2236 | NA |

Territories based on 95% Fixed Kernel using pack locations, excluding dispersal movements.

¹ Using locations collected 1 January – 30 September 2001.

² New pack of wolves in previously occupied territory.

³ Territory excluding and including westward expansion.



Pack Territories

- We have documented 5 pack territories in the western interior of LACL. With the possibility of 2 additional small territories during the 3 years studied.
- Territories (MCP) averaged 2763 km². In LACL, territories have ranged from 1831 km² To 5277 km².
- Territories in LACL are generally larger than others in Alaska.
- It appears that wolf packs that utilize salmon have smaller, more defined territories.

Territory Use



Photo by Jeanette Mills

EXPERIENCE YOUR AMERICA

Location and Territory Land Status

| Pack | Year | % Territory NPS | % Territory Other | % Locations NPS | % Location Other |
|-----------|------|-----------------|-------------------|-----------------|------------------|
| Chulitna | 2009 | 0.9% | 99.1% | 0.4% | 99.6% |
| Chekok | 2009 | 62.4% | 37.6% | 48.8% | 51.2% |
| Chekok | 2010 | 58.3% | 41.7% | 20.7% | 79.3% |
| Chekok | 2011 | 50.3% | 49.6% | 41.0% | 59.0% |
| Kijik | 2009 | 22.5% | 77.8% | 30.1% | 69.9% |
| Telaquana | 2009 | 66.8% | 33.2% | 90.7% | 9.3% |
| Telaquana | 2010 | 68.9% | 31.1% | 88.8% | 11.2% |
| Telaquana | 2011 | 88.9% | 11.0% | 95.3% | 2.8% |
| Ptarmigan | 2010 | 27.3% | 72.8% | 28.8% | 71.2% |

Wolf Dispersal





EXPERIENCE YOUR AMERICA


Dispersal Data


| Pack | Age Class | Sex | Date | Direction | Distance (KM) | Status |
|-----------|-----------|--------|------------------------|-----------|---------------|----------------|
| Kijik | Yearling | Female | 8/28/2009 | NW | 253 | Mortality |
| Kijik | Adult | Male | 2/16/2010 | SW | 110 | Collar Release |
| Chulitna | Adult | Male | 6/18/2009 | NW | 77 | Collar Release |
| Chekok | Yearling | Female | 4/19/2010 | S | 120 | Unknown |
| Chekok | Yearling | Male | 1/15/2011 ¹ | S | 53 | Active |
| Ptarmigan | Yearling | Male | 8/29/2010 | SW | 150 | Mortality |

¹ Estimated date of dispersal.











Prey Composition and Quantity




EXPERIENCE YOUR AMERICA

Winter Prey Use

| Pack | Year | Winter Period | Total Kills | Verified Kills | Days/Kill | Days at Kills | Days between kills |
|-----------|------|-------------------|-------------|----------------|-----------|---------------|--------------------|
| Chekok | 2009 | Late ¹ | 6 | 3 | 14 | 9.0 | 9 |
| Chekok | 2009 | Early | 3 | 1 | 20 | 6.0 | 6 |
| Chekok | 2010 | Late | 5 | 2 | 24 | 8.0 | 12 |
| Chekok | 2010 | Early | 2 | 1 | 31 | 7.5 | 11 |
| Chekok | 2011 | Late | 6 | 1 | 20 | 7.7 | 15 |
| Chulitna | 2009 | Late ¹ | 5 | 1 | 17 | 3.8 | 11.25 |
| Kijik | 2009 | Late ¹ | 4 | 3 | 21 | 5.8 | 19 |
| Telaquana | 2009 | Late | 5 | 3 | 24 | 6.4 | 18 |
| Telaquana | 2010 | Late ¹ | 5 | 4 | 24 | 5.8 | 10 |
| Telaquana | 2011 | Late ¹ | 3 | 2 | 20 | 7.7 | 14 |

¹ Capture dates were during this period so the estimate is based on a shorter late winter period.

Point Density Analysis



Summary

- Pack Size: Our average pack sizes are small with few retaining animals once they reach yearling age
- Territories: Territories are large which may be due to the small prey base requiring more territory to meet pack needs.
- Dispersal: All yearlings and some adults disperse with areas west of LACL receiving most of the wolves.
- Productivity and mortality
- Prey composition and quantity: Moose are the primary terrestrial prey, but use of salmon appears to be common in several packs.

Future Work

- Complete the final analysis and report for this project.
- Begin to study wolves of coastal Lake Clark National Park and Preserve with the focus on movements and foraging patterns.
- Collect historic and current samples from wolves within southwest Alaska to assess spatial and temporal dietary differences in wolves.

Acknowledgements

We would like to express our gratitude to a multitude of individuals who assisted both
directly and indirectly with this project:

Page Spencer, Joel Hard, Lee Fink, Judy Putera, John Burch, Tom Meier, Troy
Cambier, Leon Alsworth, Jerry & Jeanette Mills, Arno Krumm, Jared Irvine, Beth Hill,
Jeff Shearer, Grant Hilderbrand, Bert Frost, Eric Taylor, Jeff Welker, Ashley Stanek,
Brian Cohn, Angela Olson, Ginger Irvne, and Rich Richotte.

Questions?



EXPERIENCE YOUR AMERICA